

WELCOME to



**SPECTRUM
SYSTEMS LTD.**

Launch of
EXTRUDED PVC CLADDING FOR CEILING
AND WALLS



EXTRUDED PVC CLADDING FOR CEILING & WALLS

EXTRUDED PVC CLADDING FOR CEILING & WALLS

FEATURES:

- * Meets the needs of the specific climate of the West Indies
- * Light, perfect for ALL ceilings included suspended ceilings
- * Used for internal or external walls
- * Used as Separations in offices, schools etc
- * UV Resistant – no yellowing no cracks

EXTRUDED PVC CLADDING FOR CEILING & WALLS

- * Reduces heat by 3%
- * Termite Resistant
- * Water Resistant
- * Easy to clean – little maintenance
- * No painting necessary
- * Environmentally Friendly
- * Recyclable
- * Light and easy to install


EXTRUDED PVC CLADDING FOR CEILING & WALLS

- * Rot Proof
- * Fire Rated Euro Class E
- * ECONOMICAL – cheaper than plywood, hardwood and drywall
- * Ten Year Warranty

TECHNICAL INFORMATION




Width of the board 20 cm
Height of the board 0.8 cm




Width of the board 20 cm
Height of the board 0.8 cm

Profile P

P08 311 A



Flat Junction P08 108



Ornamental outline P08 104



Simple
Outline

P08 109



P 08 103 Flexible out line

INTERNAL OFFICES










FACTORY- CPJ



HOUSE





APARTMENTS







ON THE ROOF







BEAUTIFUL







TOOLS REQUIRED FOR INSTALLATION

- Pen
- Measuring Tape
- Screwdriver
- Knife
- Saw
- Level
- Screws – 8 x $\frac{3}{4}$ flat phillips stainless steel or other
- Stapler

SIZE

- Generally - 5.8 meters or 19 ft
- PO8 311 panels – five boards per pack
- PO8 108 flat junction – 10 bars per pack
- PO 109 Simple Outline – 10 bars per pack
- PO8 104 – Ornamental outline – 10 bars per pack
- PO8 103 – Flexible outline – 10 bars per pack

WEIGHT PER PACK

- Profile P O8 311: - 10.2kgs
- P O8 109 Simple Outline - 4.5kgs
- P O8 104 Ornamental Outline - 10.8kg
- P O8 103 Flexible Outline - 8.1kg
- PO8 108 Flat Junction - 8.1 kg



**SPECTRUM
SYSTEMS LTD.**

- **THANK YOU**
- **Questions and Answers**